INDEX TO BRITTONIA VOLUME 53 (2001)

Compiled by Thomas A. Zanoni & Robbin C. Moran

All new plant taxa, new combinations, or lectotypifications are indicated by *boldface* type. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an article, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Abacopteris penangiana, 209
Acanthopanax diversifolius, 117
Acanthophoenix, 466, 467, 470; *rubra,* 469, 470
Acanthopteris, 253
Achetaria, 138
Acourtia, 416; *alamanii,* 426; **butandae, 423,** 424; **carranzae, 417, 418**; *grandifolia,* 423; *humboldtii,* 420, 425, 426; **intermedia, 418**–420; *joaquinensis,* 423–425; *mexicana,* 416, 423, 425, 426, 428; *parryi,* 418, 420; **potosina, 420**–423; *reticulata,* 426–428; *thurberi,* 426–428; **venturae, 420**, 421, 423; *veracruzana,* 418; *wrightii,* 418, 420
Acrostichopteris, 255
Acrostichum, 176, 177, 179, 212, 213, 215, 219, 220, 224, 225; *anglicum,* 212; *aureum,* 271, 278; *linearifolium,* 177; *mexicanum,* 177; *speciosum,* 272, 278
Aculea, 252
Adiantites, 178; *lindsayoides,* 254
Adiantopsis chlorophylla, 307; *lindigii,* 348; *linearis,* 348; *madagascariensis,* 307, 348
Adiantopteris, 255
Adiantum, 179, 255, 289; sect. *Hewardia,* 213; *aethiopicum,* 272, 278, 281, 301, 302; *apalophyllum,* 178, 213; *calcareum,* 307; *capillus-veneris,* 271, 278, 280, 281; *cunninghamii,* 297, 303; *deflectans,* 307; *delicatulum,* 307; *diaphanum,* 301, 302; *dolabriforme,* 308; *filiforme,* 308; *flagellum,* 308; *formosum,* 302; *fulvum,* 297, 302; *hispidulum,* 272, 278, 281, 301, 302; *lucidum,* 308; *lunulatum,* 271, 307; *mendoncae,* 307; *patagonicum,* 258; *patens,* 273, 278, 307; *pedatum,* 363; *phanerophlebium,* 308; *philippense,* 278, 307; *poiretii,* 273, 278, 280, 308, 340; *rhizophyllum,* 307; *tetraphyllum,* 308; *viridescens,* 297, 302; vogelii, 309
Africa, 304–351
Alethopteris, 178, 249
Allaeophania, 500
Allantodiopsis, 177, 207–208; *erosa,* 177, 204, 207, 208; *pugetensis,* 207
Alseis, 502
Alsophila, 178; *antarctica,* 201; *capensis,* 309; *cuspidata,* 309; *decurrens,* 199; *erinacea,* 309; *firma,* 309; *imrayana,* 309; *incana,* 309; *marattioides,* 309; *minor,* 309; *notabilis,* 201; *perrieriana,* 309; *pomelii,* 201; *salvinii,* 348; *serratifolia,* 309; *sternbergii,* 309; *thelypteroides,* 201; *tsilotsilensis,* 309; *urbanii,* 309, 339, 342; *zakamenensis,* 309
Alsophilocaulis, 201
Amellus, 550
Amophidasya, 501
Amphineuron opulentum, 272, 279; *terminans,* 272, 279
Anachoropteridaceae, 243
Anarthropteris, 289; *lanceolata,* 297, 302
Anemia, 174, 176, 194, 197, 225, 253, 257, 339; subgen. *Anemia,* 309; subgen. *Anemiorhiza,* 195, 310; subgen. *Coptophyllum,* 195, 310, 339; *aspera,* 310; *colwellensis,* 194, 195; *delicatula,* 197; *dregeana,* 309; *elongata,* 197; *eocenica,* 195, 197; *flexusosa,* 310; *fremontii,* 195, 196; *gardneri,* 195, 310; *gunnii,* 197; *lanipes,* 310; *lanuginosa,* 310; *mexicana,* 195; *perrieriana,* 310; *poolensis,* 174, 194, 195–196; *trinitatis,* 197; *warmingii,* 309
Angelphytum goyazense, 559
Angiopteris, 179; *ruzinciniana,* 179
Anogramma 289; *leptophylla,* 271, 278, 280, 281, 301, 303
Anomopteris, 243
Antarctic (circum-Antarctic), 270–283
Antigramma brasiliense, 348; *plantaginea,* 348; *virchowii,* 348
Antrophyum boryanum, 331; *mannianum,* 331
Aphanocarpus, 496, 499, 500
Aphanolejeunea minuta, 365
Aphanopappus, 550; *micranthus,* 553; *nuttallii,* 550, 551
Arabis, 91
Arachnioides aristata, 299, 302; *bella,* 350; foliosa, 351; *webbiana,* 351
Aralia, 449; *cachemirica,* 448, 449, 451; *californica,* 448, 449, 451; *cordata,* 448, 449, 451
Araliaceae, 116, 447, 449
Archontophoenix, 520
Arctopteris, 244, 254, 255, 257
Arecaceae, 466, fruit anatomy, 466–471; subfam. Arecoideae, 520, 521, 526; subfam. Arecoideae tribe Areceae, 471; subfam. Arecoideae tribe Areceae subtribe Iguanurinae, 467, 470, 471; subfam. Arecoideae tribe Areceae subtribe Oncospermatinae, 466–471; subfam. Arecoideae tribe Areceae subtribe Ptychospermatinae, 471; subfam. Calamoideae, 520, 526; subfam. Ceroxyloideae, 520; subfam. Corypheoideae, 520, 526; subfam. Nypoideae, 520; subfam. Phytelephantoideae, 520, 526
Argentina, 408
Ariadnaeisporites, 220

Brittonia, 53(4), 2001, pp. 566–576. ISSUED: 28 Feb 2002
© 2001, by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

INDEX TO BRITTONIA VOLUME 53 (2001)

Compiled by Thomas A. Zanoni & Robbin C. Moran

All new plant taxa, new combinations, or lectotypifications are indicated by *boldface* type. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an article, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Abacopteris penangiana, 209
Acanthopanax diversifolius, 117
Acanthophoenix, 466, 467, 470; *rubra,* 469, 470
Acanthopteris, 253
Achetaria, 138
Acourtia, 416; *alamanii,* 426; **butandae, 423,** 424; **carranzae, 417, 418**; *grandifolia,* 423; *humboldtii,* 420, 425, 426; **intermedia, 418**–420; *joaquinensis,* 423–425; *mexicana,* 416, 423, 425, 426, 428; *parryi,* 418, 420; **potosina, 420**–423; *reticulata,* 426–428; *thurberi,* 426–428; **venturae, 420**, 421, 423; *veracruzana,* 418; *wrightii,* 418, 420
Acrostichopteris, 255
Acrostichum, 176, 177, 179, 212, 213, 215, 219, 220, 224, 225; *anglicum,* 212; *aureum,* 271, 278; *linearifolium,* 177; *mexicanum,* 177; *speciosum,* 272, 278
Aculea, 252
Adiantites, 178; *lindsayoides,* 254
Adiantopsis chlorophylla, 307; *lindigii,* 348; *linearis,* 348; *madagascariensis,* 307, 348
Adiantopteris, 255
Adiantum, 179, 255, 289; sect. *Hewardia,* 213; *aethiopicum,* 272, 278, 281, 301, 302; *apalophyllum,* 178, 213; *calcareum,* 307; *capillus-veneris,* 271, 278, 280, 281; *cunninghamii,* 297, 303; *deflectans,* 307; *delicatulum,* 307; *diaphanum,* 301, 302; *dolabriforme,* 308; *filiforme,* 308; *flagellum,* 308; *formosum,* 302; *fulvum,* 297, 302; *hispidulum,* 272, 278, 281, 301, 302; *lucidum,* 308; *lunulatum,* 271, 307; *mendoncae,* 307; *patagonicum,* 258; *patens,* 273, 278, 307; *pedatum,* 363; *phanerophlebium,* 308; *philippense,* 278, 307; *poiretii,* 273, 278, 280, 308, 340; *rhizophyllum,* 307; *tetraphyllum,* 308; *viridescens,* 297, 302; vogelii, 309
Africa, 304–351
Alethopteris, 178, 249
Allaeophania, 500
Allantodiopsis, 177, 207–208; *erosa,* 177, 204, 207, 208; *pugetensis,* 207
Alseis, 502
Alsophila, 178; *antarctica,* 201; *capensis,* 309; *cuspidata,* 309; *decurrens,* 199; *erinacea,* 309; *firma,* 309; *imrayana,* 309; *incana,* 309; *marattioides,* 309; *minor,* 309; *notabilis,* 201; *perrieriana,* 309; *pomelii,* 201; *salvinii,* 348; *serratifolia,* 309; *sternbergii,* 309; *thelypteroides,* 201; *tsilotsilensis,* 309; *urbanii,* 309, 339, 342; *zakamenensis,* 309
Alsophilocaulis, 201
Amellus, 550
Amophidasya, 501
Amphineuron opulentum, 272, 279; *terminans,* 272, 279
Anachoropteridaceae, 243
Anarthropteris, 289; *lanceolata,* 297, 302
Anemia, 174, 176, 194, 197, 225, 253, 257, 339; subgen. *Anemia,* 309; subgen. *Anemiorhiza,* 195, 310; subgen. *Coptophyllum,* 195, 310, 339; *aspera,* 310; *colwellensis,* 194, 195; *delicatula,* 197; *dregeana,* 309; *elongata,* 197; *eocenica,* 195, 197; *flexusosa,* 310; *fremontii,* 195, 196; *gardneri,* 195, 310; *gunnii,* 197; *lanipes,* 310; *lanuginosa,* 310; *mexicana,* 195; *perrieriana,* 310; *poolensis,* 174, 194, 195–196; *trinitatis,* 197; *warmingii,* 309
Angelphytum goyazense, 559
Angiopteris, 179; *ruzinciniana,* 179
Anogramma 289; *leptophylla,* 271, 278, 280, 281, 301, 303
Anomopteris, 243
Antarctic (circum-Antarctic), 270–283
Antigramma brasiliense, 348; *plantaginea,* 348; *virchowii,* 348
Antrophyum boryanum, 331; *mannianum,* 331
Aphanocarpus, 496, 499, 500
Aphanolejeunea minuta, 365
Aphanopappus, 550; *micranthus,* 553; *nuttallii,* 550, 551
Arabis, 91
Arachnioides aristata, 299, 302; *bella,* 350; foliosa, 351; *webbiana,* 351
Aralia, 449; *cachemirica,* 448, 449, 451; *californica,* 448, 449, 451; *cordata,* 448, 449, 451
Araliaceae, 116, 447, 449
Archontophoenix, 520
Arctopteris, 244, 254, 255, 257
Arecaceae, 466, fruit anatomy, 466–471; subfam. Arecoideae, 520, 521, 526; subfam. Arecoideae tribe Areceae, 471; subfam. Arecoideae tribe Areceae subtribe Iguanurinae, 467, 470, 471; subfam. Arecoideae tribe Areceae subtribe Oncospermatinae, 466–471; subfam. Arecoideae tribe Areceae subtribe Ptychospermatinae, 471; subfam. Calamoideae, 520, 526; subfam. Ceroxyloideae, 520; subfam. Corypheoideae, 520, 526; subfam. Nypoideae, 520; subfam. Phytelephantoideae, 520, 526
Argentina, 408
Ariadnaeisporites, 220

Brittonia, 53(4), 2001, pp. 566–576. ISSUED: 28 Feb 2002
© 2001, by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

Arthropteris 289; *palisotii*, 272, 278; *tenella*, 300, 302
Asclepiadaceae, 110
Ascelpias, 111; *viridis*, 110
Ashicaulis, 191
Aspidistes, 252, 255; *thomasii*, 287
Aspidotis meifolia, 349; *schimperi*, 349
Aspleniaceae, 282
Asplenium 178, 289, 293, 357, 360, 361; sect. *Sphenopteris*, 311, 312, 314; sect. *Thamnopteris*, 312; *aethiopicum*, 271, 276; *africanum*, 312; *anisophyllum*, 310; *apertum*, 312; *appendiculatum*, 298, 303; *argentinum*, 313; *auritum*, 273, 276; *boltonii*, 310; *brausei*, 312; *bulbiferum*, 294, 298, 303; *camposportoi*, 312; *carpophorum*, 178; *chathamense*, 297, 302; *cimmeriorum*, 297, 302; *cladolepton*, 311; *claussenii*, 313; *corderoanum*, 311; *cristatum*, 311; *cuneatum*, 271, 276, 310, 311; *currori*, 312; *delicatulum*, 197; *discrepans*, 313; *elliotii*, 310; *eolingatum*, 177; *erectum*, 313; *erosum*, *177*; *feei*, 310; *flabellifolium*, 298, 303; *flaccidum*, 298, 303; *formosum*, 273, 276, 311; *fragile*, 313; *friesiorum*, 312; *gilliesii*, 313; *hemitomum*, 314; *holstii*, 312; *hookerianum*, 298, 303; *iddingsii*, 177, 210, 211; *inaequilaterale*, 311, 313; *incertum*, 178; *incurvatum*, 312; *lamprophyllum*, 297, 302; *lividum*, 273, 276, 311, 340, 342; *lorzentii*, 313; *lyalii*, 297, 303; *magnum*, 177, 198; *monanhtes*, 273, 276, 280, 311, 340; *munchii*, 311; *myriophyllum*, 311; *nidus*, 272, 276; *nigritianum*, 311; *normale*, 272; *oblongifolium*, 297, 302; *obtusatum*, 274, 276, 280, 294, 298, 303; *ocoense*, 311; *parvisorum*, 311; *pauperequitum*, 297, 302; *pedicularifolium*, 311, 342; *pellucidum*, 276; *peruvianum*, 313; *polyodon*, 298; *popovii*, 255; *pellucidum*, 272; *platyneuron*, 312; *polydon*, 272, 276, 303; *praemorsum*, 271; *projectum*, 313; *pumilum*, 273, 276, 312; *remotidens*, 177; *richardii*, 297, 303; *rutaceum*, 311; *schnellii*, 311; *scleroprium*, 297, 303; *serra*, 312; *serratum*, 312; *sessilifolium*, 312, 340; *shuttleworthianum*, 298, 302; *splendens*, 310; *stoloniferum*, 313, 340; *subcretaceum*, 178; *subdimidiatum*, 311; *subintegrum*, 312; *suppositum*, 313; *theciferum*, 273, 276, 313, 340, 342; *trichomanes*, 298, 303; *trichomanes-dentatum*, 313; *unilaterale*, 272, 276; *usambarense*, 312, 313; *wegmanii*, 178; *zamiifolium*, 314, 342; *zeyheri*, 313
Asteraceae, 110, 377, 417; tribe Astereae, 430; tribe Eupatorieae, 377; tribe Heliantheae subtribe Ecliptinae, 539, 540; tribe Mutiseae, 417
Asteridae, 108–110
Asteridales, 110
Astralopteris, 252
Athyriaceae, 255
Athyrium, 255; *asymmetricum*, 255; *crossi*, 308; *gracillum*, 208
Augusta longifolia, 397
Aurealcaulis, 174, 188, 190
Aylcophora, 432, 433
Azinia, 220
Azolla, 174, 220, 221–222, 224, 257, 289; sect. *Azolla*, 221; sect. *Rhizosperma*, 221; *capricornica*, 221; *deccaniana*, 221; *filiculoides*, 271, 276, 279, 280, 299, 303; *indica*, 221; *intertrappea*, 221; *nilotica*, 221; *pinnata*, 272, 276, 280
Azollaceae, 220–223, 260, 282
Azollopsis, 220
Bakerdesia, 59, 63; **amoena, 62**–63; *pittieri*, 63
Balanophoraceae, 112
Banara, 472; **boliviana, 472**–475; *glauca*, 475; *larensis*, 475; *tomentosa*, 475
Barneby, Rupert C., biography, 1–40; publications, 41–57
Belize, 519
Bentinckia, 470
Bidens asymetrica, 559
Blasia pusilla, 365
Blechnaceae, 202–206, 219, 223, 282
Blechnum 178, 203–204, 293; sect. *Eublechnum*, 204; subgen. *Lomariocycas*, 314; *atavium*, 178; *attenuatum*, 314; *australe*, 273, 276, 280, 314; *blechnoides*, 274, 276, 299, 303; *capense*, 348; *chambersii*, 299, 303; *chilense*, 348; *colensoi*, 297, 303; *cordatum*, 348; *dentatum*, 176, 203–204, 207–208, 225; *discolor*, 297, 303; *durum*, 297, 303; *filiforme*, 297, 302; *fluviatile*, 299, 303; *fragile*, 314, 340; *fraseri*, 299, 302; *indicum*, 274, 276, 282; *magellanicum*, 314, 342; *membranaceum*, 297, 303; *minus*, 299, 303, 348; *montanum*, 297, 303; *nigrum*, 297, 302; *norfolkianum*, 299, 302; *novae-zelandiae*, 297, 303; *palmiforme*, 315; *penna-marina*, 274, 276, 280, 299, 303; *procerum*, 297, 348; *regnellianum*, 349; *schiedeanum*, 349; *serrulatum*, 204; *sylvaticum*, 348; *tabulare*, 314; *triangularifolium*, 297, 303; *vulcanicum*, 299, 303
Blotiella 315, 342; *lindeniana*, 314, 340; *natalensis*, 315
Bolbitis acrostichoides, 315; *serratifolia*, 315
Bolivia, 409, 472
Bommeria, 363
Boodlepteris, 184, 257
books, received, 476; reviews: Bernhardt, P., **The rose's kiss,** 156; Christenson, E., ***Phalaenopsis*, a monograph,** 563, 564; Hickey, M. & C. King, **The Cambridge illustrated glossary of botanical terms,** 562–563; Luer, C. A., **Icones Pleurothallidinarum XV–XIX,** 81; Steyermark, J. A., P. A. Berry, K. Yatskievych & B. K. Holst (eds.), **Flora of the Venezuelan Guayana. Vol. 5. Eriocaulaceae-Lentibulariaceae,** 121; Wunderlin, R. P. & B. F. Hansen, **Flora of Florida. Volume 1, Pteridophytes and gymnosperms,** 562; Zarnowiec, J., **A taxonomic monograph of the *Drepanocladus aduncus* group (Bryopsida: Amblystegiaceae),** 563
Boraginaceae, 110
Borassus, 520
Botrychium, 215, 225, 289; *australe*, 274, 278, 281, 300, 303; *biforme*, 297, 303; *lunaria*, 300, 303; *virginianum*, 216
Brassicaceae, 82
Brazil, 148, 410, 413, 477, 479, 481, 482, 534, 536
Buphthalmum scandens, 559
Butanda, Armando, 423
Byttneria, 59, 61; *aculeata*, 61; *atrata*, 61; *catalpaefolia*, 61; *filipes*, 61; **fluviatilis, 59**–61
Cactaceae, 96, 528
Cacumen, 251
Cainozoic (Cenozoic), 173–235
Calamagrostis porteri subsp. *insperata*, 514, 516

Calea aspera, 557
Callicocca guianensis, 401
Callipteris prolifera, 272, 277
Calochlaena, 180
Calystegia, 111; *sepium*, 110
Calzada, Juan I., 65
Campanulaceae, 110
Campanulales, 110
Campomanesia, 534; **anemonea, 536, 537,** 538; *dichotoma*, 534, 537; *espiritosantensis*, 538; *hirsuta*, 534, 537, 538; **macrobracteolata, 534**–538
Capulisporites, 220
Carapichea, aubletii, 401; *guianensis*, 401
Cardamine, chromosomes, 83, 90; hybrids, 83, 89, 90; polyploidy, 90, 91; *angustata*, 83–85, 87–92; *angustata* var. *multifida*, 84; *concatenata*, 82–85, 87–92; *concatenata* alliance, 82–95; *dipylla*, 83–85, 87–92; *dissecta*, 83–85, 87—92; **incisa,** 83–85, 87–**92 (lectotypfication)**; *incisifolia*, 92; *maxima*, 83–85, 87–92
Carranza, E., 418
Cayman Islands, 96–98, 100
Celtidopsis, 66; *citrifolia*,, 77, 78
Celtis, 66–81; subgen. *Mertensia*, 66–81; subgen. *Momisia*, 66–68; *aculeata*, 72, 73; *aculeata* var. *laevigata*, 73; *aculeata* var. *pubescens*, 74; *aculeata* var. *serrata*, 74; *alnifolia*, 73; *anfractuosa*, 73; *asperula*, 74; *azcurrensis*, 78; *biflora*, 78; *boliviensis*, 66; *bonplandia*, 71; *brasiliensis*, 67–71, 75, 78; *brasiliensis* forma *clausseniana*, 69; *brevifolia*, 73, *chiochape*, *66*, *69–72*; *clausseniana*, 69; *crenata*, 69; *dichotoma*, 73, *75*; *diffusa*, 73; *disticha*, 78; *ehrenbergiana*, 66, 67, 69, 71, 72, 75, 77, 78; *epiphylladena*, 78; *espinosa*, 78; *flexuosa*, 69; *flexuosa* var. *glabrifolia*, 71; *ferruginea*, 69; *flagellaris*, 78; *fluminensis*, 69; *gardneri*, 73; *glabrata*, 73; *glycicarpa*, 74; *goudotii*, 73; *hilariana*, 74; *iguanaea*, 66–70, 72–75, 77, 78; *integrifolia*, 66, 71; *laevigata*, 68, 73; *lanceolata*, 78; *lancifolia*, 71, 72; **loxensis,** 66–68, **75**–77; *membranacea*, 73; *morifolia*, 73; *orthocanthos*, 66, 77, 78; *pallida*, 70, 71; *pallida* var. *pallida*, 70; *pavonii*, 73; *platycaulis*, 74; *pubescens*, 73; *pubescens* var. *chichapa*, 70; *punctata*, *66*, *71*; *rhamnoides*, 73; *rigida*, 78; *schippii*, 67; *sellowiana*, 71; *sellowiana* forma *praecox*, 78; *sericea*, 70; *spinosa*, 73, 78; *spinosa* var. *pallida*, 71; *spinosa* var. *weddeliana*, 71; *spinossima*, 73; *tala*, 71; *tala* var. *chichapa*, 70; *tala* var. *chichapa* forma *subpilosa*, 71; *tala* var. *chichapa* forma *subtomentosa*, 71, 72; *tala* var. *gaudichaudiana*, 71; *tala* var. *gillesiana*, 71; *tala* var. *pallida*, 71; *tala* var. *sellowiana*, 71; *tala* var. *tala* (*gillesiana*) forma *obtusata*, 71; *tala* var. *tala* (*gillesiana*) forma *velutina*, 70; *tala* var. *weddelliana*, 74; *triflora*, 73, *utilis*, 78; *velutina*, 73; *weddelliana*, 71; *williamsii*, 74; *zizyphoides*, 73
Cenozoic, see Cainozoic
Central America, 454
Cephalis, blepharophylla, 397; *callithrix*, 398, 399; *guianensis*, 401; *involucrata*, 401; *tontaneoides*, 399
Ceradenia jungermannioides, 315, 340; *humbertii*, 315; *pruinosa*, 273, 277, 315
Ceratopteris, 183, 212–213, 225; *thalictroides*, 271, 278
Chaetacme, 66
Chalepophyllum, 496
Chassalia, 491
Chazaliella, 491
Cheilanthes 289, 329, 342; *angustifrondosa*, 315; *brandegeei*, 315, 339; *californica*, 349; *capensis*, 315; *deltoidea*, 316; *depauperata*, 316; *distans*, 301, 303; *farinosa*, 273, 278; *fractifera*, 316; *fraseri*, 316, 340; *kunzei*, 316; *linearis*, 348; *microphylla*, 316; *namaquensis*, 316; *pruinata*, 316, 340; *rawsonii*, 316; *schimperi*, 349; *sieberi*, 301, 303; *viridis*, 329
Cheiroglossa 339; *palmata*, 273, 278; 317; *pendulum*, 317
Chiaohoella, 255
Chiliophyllum, 433
Chiliotrichiopsis 430, 432; *keidelii*, 433; *ledifolia*, 433; *mendocina*, 433; **peruviana, 430,** 431, 433
Chiliotrichum, 432, 433
Chionohebe ciliolata, 293
Christella dentata, 272, 279, 301, 302; *hispidula*, 271, 279; *parasitica*, 272, 279
Cibotiocaulis, 254
Cibotium, 184, 201, 225; *orogonense*, 184, 201
Cicatricosisporites, 196, 197, 225
circum-Antarctic 270–283
Cladophlebis, 178, 188, 243, 244, 245, 248, 249, 251, 256; *delicatula*, 246
Clathropteris, 245, 247, 250, 252
Clinosperma, 471
Cnemidaria 178, 198, 199, 201, 225; *chiricana*, 198; *decurrens*, 199, 225; *magna*, 177, 198–200; *mutica*, 198; *pinnata*, 201
Coccochondra, 496, 500
Coccocypselum, 499
Cocos nucifera, 520
Cochlidium serrulatum, 273, 277, 317
Coelospermum, 501
Colletoecema, 501
Coniogramme, 208
Coniopteris, 175, 183, 214, 215, 224, 246, 247, 249, 250, 253, 254, 257; *blomstrandii*, 183
Consolea, 97–98, 103; key, 105; *corallicola*, 97, 98, 100, 101, 103, 105; *falcata*, 105; *macracantha*, 97, 105; *millspaughii*, 97, 98, 104; **millspaughii** subsp. **caymanesnis,** 100, **101,** 102–106; *millspaughii* subsp. *millspaughii*, 99, 102, 104, 105; *moniliformis*, 97; *moniliformis* subsp. *guantanamana*, 105; *moniliformis* subsp. *moniliformis*, 105; *nashii*, 97; *nashii* subsp. *gibarensis*, 105; *nashii* subsp. *nashii*, 105; *picardae*, 97, 105; *rubescens*, 97, 105; *spinosissima*, 97, 99, 100, 105
Convolvulaceae, 108, 110–113
Coptopsapelta, 501
Coryphothamnus, 496, 500
Costa Rica, 157, 160
Crepidomanes bipunctatum, 272, 277
Ctenitis ampla, 349; *blepharochlamys*, 317; *cirrhosa*, 317; *crinobulbon*, 317; *eriocaulis*, 317; *exaggerata*, 317; *falciculata*, 351; *ochrorachis*, 351; *submarginalis*, 317, 351; *truncicola*, 317; *vellea*, 317
Ctenopteris heterophylla, 300, 303; *punctata*, 315
Culcites, 250
Cuscuta, 108, 110–112, *cuspidata*, 110; *glomerata*, 110; *gronovii*, 112; *pentagona*, 110; *reflexa*, 112
Cuscutaceae, 110, 111

Cyathea, 289; *branneri*, 201; *capensis*, 273, 277; *colensoi*, 297, 303; *colombensis*, 201, 202; *cunninghamii*, 299, 302; *dealbata*, 299, 303; *debilis*, 201; *decurrens*, 199, 200, 201, 202, 225; *inequilateralis*, 199; *juliverti*, 201; *kermadecensis*, 297, 303; *medullaris*, 299, 303; *milnei*, 297, 302; *pinnata*, 198–199, 201; *smithii*, 297, 303
Cyatheaceae, 197–202, 225, 236, 239, 240–242, 243, 249, 254, 256, 260, 262, 282
Cyatheacidites annulatus, 218, 225
Cyatheites plenasiaeformis, 201
Cyathidites, 182, 193, 206
Cyathodendron texanum, 201
Cyathoides, 178; *thyrsopteroides*, 178
Cyclopeltis jani, 208–209, 211
Cyclosorus, 176, 209, 211–212, 224, 225, 334; subgen. *Pneumatopteris*, 209; *dalmatica*, 211; *interruptus*, 271, 279, 301, 302; *stiriacus*, 209, 210, 211; *weedi*, 211
Cynepteris, 245
Cyphokentia, 471
Cystopteris fragilis, 273, 277, 280, 281; *tasmanica*, 299, 303
Damnacanthus, 499, 501
Danaea 179; *borealis*, 179; *coloradensis*, 179
Davallia 254, 289; *denticulata*, 272, 277; *montana*, 177; *repens*, 272, 277; *tasmanii*, 297, 302
Davalliaceae, 282
Deckenia, 466, 467, 470, 471; *nobilis*, 469
Declieuxia, 491, 499
Deltoidospora, 182, 193, 206
Dendropanax, 120
Dendropteridium cyatheoides, 201
Dendrosipanea, 496
Dennastra, 215, 216, 225; *sorimarginata*, 207, 215
Dennstaedtia, 175, 213–214, 258; *americana*, 183, 214; *blomstrandii*, 183, 214; *crossiana*, 214; *delicatula*, 214
Dennstaedtiaceae, 213–216, 282
Dennstaedtiopsis, 176, 213–214, 223, 225; *aerenchymata*, 213; *patagonica*, 258
Dentaria, 82, 84; *diphylla*, 82; *heterophylla*, 83; *incisa*, 89, 92; *laciniata*, 82; *maxima*, 83; *multifida*, 83
Deparia petersenii, 299, 302; *tenuifolia*, 297, 302
Dialypetanthus, 501
Diatenopteryx, 187
Dichondra, 110; *carolinensis*, 111
Dicksonia 182–184, 249, 254, 257, 289; *antarctica*, 180; *dissecta*, 183; *fibrosa*, 297, 303; *lanata*, 297, 302; *patagonica*, 178, 184, 303; *squarrosa*, 297, 303
Dicksoniaceae, 180, 183, 201, 224, 237, 239, 240–242, 244, 247, 249, 250, 253, 254, 255, 256, 259, 260, 262; subfam. *Dicksoniae*, 249; subfam. *Thyrsopteridae*, 249, 257
Dicranopteris, 185–187, 289; *flexuosa*, 271; *hantonensis*, 185, 186, 187; *linearis*, 271, 277, 299, 302
Dicranum flagellare, 365
Dictyophyllum, 245, 246, 248
Didymochlaena, 224; *truncatula*, 273, 277, 281
Didymoglossum reptans, 273, 277
Diplaziopsis, 207
Diplazium 207, 289; *australe*, 299, 302; *carpophorum*, 178; *cordifolium*, 348; *crossi*, 208; *gracillum*, 208; *virchowii*, 348
Diplostephium, 432
Dipteridaceae, 180, 224, 225, 236, 239, 240–242, 244, 245–246, 247, 248, 250, 252, 257, 260–261
Dipteris, 180
DNA, sequences, 108–115; inter-simple sequence repeat (ISSR), 511–518
Donwelliacaulis, 243
Doodia, 289; *aspera*, 299, 302; *australis*, 299, 302; *milnei*, 297, 302; *mollis*, 297, 302; *squarrosa*, 297, 302
Dorfiella auriculata, 257
Doryopteris 318; *concolor*, 271, 278, 318; *cordifolia*, 348; *kirkii*, 318; *pilosa*, 318; *trilobata*, 349
Draba, 91
Dracopteris, 255
Dryopteridaceae, 206–209, 236, 255, 282
Dryopteris 178, 179, 219; *alaskana*, 211; *ampla*, 349; *bella*, 350; *blepharochlamys*, 318; *boivinii*, 318; *cirrhosa*, 317; *denticulata*, 211; *faliculata*, 351; *gracilis*, 255; *exaggerata*, 318; *liaoningensis*, 255; *magna*, 349; *mascarenarum*, 351; *ochrorachis*, 351; *pentagona*, 318; *problematicus*, 258; *pulvinata*, 318; *truncicola*, 318; *weedii*, 177, 210, 211; *whatcomensis*, 211; *xantholithense*, 177
Dropterites, 255
Dumerilia, 427; *humboldtiii*, 426–428
Eboracia, 247, 249, 250, 253
Echinocephalum, 539, 541–543, **550 (lectotypification)**, 551; *angustifolium*, 550, 557; *lanceolatum*, 557; **latifolium,** 556, **557**
Ecuador, 75
Elaphoglossaceae, 352–369, 487
Elaphoglossum, 487; sect. *Elaphoglossum*, 487; sect. *Lepidoglossa*, 487; sect. *Lepidoglossa* subsect. *Pilosa*, 487; sect. *Pachyglossa*, 487; sect. *Polytrichia* subsect. *Hybrida*, 487; *achroalepis*, 351; *acrostichoides*, 319; *aspidolepis*, 351; *asterolepis*, 351; *aubertii*, 318; *barbatum*, 318; *bifurcatum*, 349; *blepharodes*, 318; *blumeanum*, 487; *chevalieri*, 321; *ciliatum*, 318; *cinnamomeum*, 321; *columbianum*, 349; *cordigerum*, 319; *coriaceum*, 351; *crispatum*, 318; *curtisii*, 351; *deckenii*, 319, 320; *deppei*, 489; *dimorphum*, 487; *eggersii*, 350; *erinaceum*, 318; *eximium*, 319, 340; *forsythii-majoris*, 351; *furcatum*, 349, 487; *glabellum*, 319; *gratum*, 489; *humbertii*, 318; *hirtipes*, 319; *hirtum*, 351; *hybridum*, 318; *kuhnii*, 320; *latifolium*, 350; *leucolepis*, 320; *lindbergii*, 318; *lindenii*, 320; *malgassicum*, 351; *marionense*, 341; *mathewsii*, 319, 349; *mildbraedei*, 321; *moorei*, 349; *muscosum*, 319, 340, 350; *nervosum*, 487; *obtusatum*, 320; *ovalilimbataum*, 351; *paleaceum*, 319, 340; *perrierianum*, 350; *petiolatum*, 321, 339, 351, 487–489; *piloselloides*, 320, 340, 351; *plumosum*, 320; *poolii*, 319; *pringlei*, 487; *randii*, 341; *rzedowskii*, 487; *salicifolium*, 321, 487; *schizolepis*, 351; *sieberi*, 350; *spathulatum*, 320, 351; *stelligerum*, 321, 487; *subcinnamomeum*, 319; *tanganjicense*, 320; **trichomidiatum, 488,** 489; *villosum*, 321, 339; *yungense*, 321; *yunnanense*, 487
Eleutherococcus, 116, 120
Enterosora gilpinae, 321; *parietina*, 273, 277, 321, 340
Eogonocormus, 217, 252
Eogymnocarpium, 255

Eostangeria, 193, 208; *ruzinciniana*, 179
Epilobium brunnescens, 293; *tasmanicum*, 293
Ericaceae, 437
Equisetum, 236
Eugeissona, 520, 521
Evea tontaneoides, 399
Evolvulus, 111; *sericeus*, 110
Fernandes, Boudet, 148
Flacourtiaceae, 472
Gaertnera, 491
gametophytes, 252–369
Gamotopea callithrix, *398*
Gastrococcus, 521; *crispa*, 521
Gentianales, 110
Geraniaceae, 559
germination, 519–527; adjacent ligular, 520; cryptocotylar, 519; hypogeal, 519; remote ligular, 520; remote tubular, 520
Gingidia montana, 293
Gleichenaciaphyllum, 245, 252
Gleichenia, 177, 184–185, 187, 250, 252, 289; *dicarpa*, 185, 299, 303; *hesperia*, 187; *microphylla*, 299, 302; *pectinata*, 177; *pectinatiformia*, 178; *rhodopaea*, 187
Gleicheniaceae, 184–188, 224, 236, 239, 240–242, 244, 245, 247, 248, 250, 251, 256, 257, 258, 259, 261, 282
Gleicheniidites, 187, 247
Gleichenipteris, 245
Gleichenites, 245, 246, 247, 251, 252; *hibernicus*, 185
Glomerisporites, 220
Goeppertella, 245, 246, 248
Gonatosorus, 249
Goniopteris, 177, 178, 179; *bunburii*, 211; *claibourniana*, 211
Gonocalyx, 437, 439; *almedae*, 439; *amplexicaulis*, 439; *concolor*, 439; *costaricensis*, 439, 444; **megabracteolatus, 437**–439; *portoricensis*, 439; *pterocarpus*, 439; *pulcher*, 439; *smilacifolius*, 439; *tetrapterus*, 439
González Tamayo, Roberto, 509
Grammatidaceae, 217–218, 282, 341, 352–369
Grammatis, 178, 289, 293, 321; sect. *Cryptosorus*, 218; subgen. *Grammitis*, 321; *barbatula*, 321; *billardierei*, 300, 303; *bufonis*, 321; *ciliata*, 297, 302; *ebenina*, 322; *givenii*, 297, 303; *gunnii*, 300, 303; *jamesonii*, 324; *magellanica*, 274, 277, 280, 300, 303; *patagonica*, 274, 300; *peritimundi*, 321; *poeppigiana*, 271, 277, 280, 281, 300, 303; *pseudociliata*, 300, 302; *rawlingsii*, 297, 302; *rigida*, 297, 303; *uluguruensis*, 321
Greater Antilles, 454
Guiarea, 243
Guaireaceae, 239, 240–243, 259
Guyana, 406
Gymnocthodes, 502
Gymnogramme, 177; *wadii*, 177
Haplopteris, 337–338
Hausmannia, 180, 245, 247, 248, 250, 252
Heinsia, 501
Heliotropium, 111; *curassavicum*, 110
Hemionitis levyi, 329
Hemitelia 177, 178, 198; *arachnoidea*, 198; *branneri*, 201; *chiricana*, 198; *magna*, 177, 197, 198, 199; *pinnata*, 198
Hemitelites, 201
Heptapleurum esquirolii, 119
herbaria, pteridophytes, 435, 436
heterosporous ferns, 220–223
Hewardia, 212; *regia*, 212
Hindsia, 499
Hinterhubera, 432
Hiraea cycloptera, 411
Hispaniola (Dominican Republic & Haiti), 122
Histiopteris 289; *incisa*, 271, 277, 278, 299, 303
Holstianthus, 496
Huperzia 339; *acerosa*, 322; *australiana*, 298, 303; *dentata*, 322; *insularis*, 322; *myrsinites*, 322, 340; *ophioglossoides*, 322; *phlegmaria*, 272, 276; *reflexa*, 322; *saururus*, 276, 280, 322, 340; *squarrosa*, 272, 276; *varia*, 298, 303; *verticillata*, 322
Hydnoraceae, 112
Hydrophyllaceae, 110
Hydropteridaceae, 257
Hydropteris, 220; *pinnata*, 220, 257
Hymenophyllaceae, 216, 236, 252, 259–261, 282, 339, 343, 352–369
Hymenophyllum, 216–217, 252, 289, 293, 339; *aeruginosum*, 323; *armstrongii*, 297, 302; *atrovirens*, 297, 303; *beccarii*, 217; *bivalve*, 300, 303; *capillare*, 323; *confusum*, 216; *cupressiforme*, 300, 302; *demissum*, 297, 303; *dilitatum*, 297, 302; *ferrugineum*, 300, 302; *flabellatum*, 300, 303; *flexuosum*, 297, 303; *hirsutum*, 323; *kuhnii*, 323; *lyallii*, 300, 302; *malingii*, 297, 303; *minimum*, 297, 303; *multifidum*, 297, 303; *myriocarpum*, 323; *plumieri*, 323; *peltatum*, 271, 277, 280, 300, 303; *polyanthos*, 323; *pulchellum*, 323, 340; *pulcherrimum*, 297, 303; *rarum*, 300, 303; *revolutum*, 297, 302; *rufescens*, 297, 303; *sanguinolentum*, 297, 303; *scabrum*, 297, 302; *splendidum*, 323; *tunbrigense*, 273, 277, 280, 281; *villosum*, 297, 303
Hypolepis, 289; *amaurorachis*, 299, 303; *ambigua*, 297, 303; *dicksonioides*, 299, 302; *distans*, 299, 302; *lactea*, 297, 302; *millefolium*, 297, 303; *rufobarbata*, 297, 303
Instructions to Contributors, after p. 166
Ipomoea, 111, 112; *lacunosa*, 110
Isoëtes, 289, 339; *alpina*, 297, 303; *gardneriana*, 324; *kirkii*, 297, 303; *melanotheca*, 324; *panamensis*, 324
Isoëtites, 179
Jacquemontia, 111; *tamnifolia*, 110
Jamaica, 463
Jefea lantanifolia, 559
Joosia, 502
Kluckia, 193, 249, 250, 253
Klukiosporites, 193
Kuylisporites, 199, 200, 225; *mirabilis*, 199; *separatus*, 199; *scutatus*, 199; *waterbolkii*, 199, 200
Kylikipteris, 249
Lactoris, 514; *fernandeziana*, 514, 516
Lamiaceae, 511
Lamiales, 110
Lasianthaea, 540; *ceanothifolia* var. *ceanothifolia*, 559, 560; *fruticosa* var. *fasciculata*, 559; *fruticosa* var. *fruticosa*, 559; *macrocephala*, 559
Lasianthus, 491, 500, 501

Lastreopsis, 289; *boivinii*, 24; *currorii*, 324; *effusa*, 324; *glabella*, 297, 303; *hispida*, 299, 302; *hornei*, 324; *microsora*, 299, 302; *velutina*, 297, 303
Lavoixia, 471
Legrandia coccinea, 538; *eugenioides*, *538*
Lellingeria aethiopica, 324; *anamorphosa*, 324; *delitescens*, 324; *hartii*, 324; *hidebrandii*, 324; *limula*, 324; *myosuroides*, 273, 277, 324, 340; *oosora*, 324; *prionodes*, 324; *strangeana*, 324
Leotriletes, 193
Lepidophyllum, 432
Leptolepia, 289; *novae-zelandiae*, 297, 303
Leptopteris, 189, 191; *hymenophylloides*, 297, 303; *superba*, 297, 302
Lindsaea, 216, 224, 289, 324–325; *bifida*, 324, 342; *dissectiformis*, 325; *eberhardtii*, 325; *ensifolia*, 272, 277; *linearis*, 299, 302; *microphylla*, 325; *millefolium*, 324; *sphenomeridopsis*, 325; *trichomanioides*, 299, 302; *virescens*, 325; *viridis*, 297, 302
Lindsaeceae, 282
Lipochaeta, 539–544; sect. *Aphanopappus*, 551; sect. *Lipochaeta*, 540, 543, 544; *acris* var. *lata*, 545; *alata*, 545; *alata* var. *acrior*, 545; *alata* var. *pulchrior*, 545; *amazonica*, 559; *aprevalliana*, 546; *asymetrica*, 559; *australis* var. *connata*, 545; *australis* var. *decurrens*, 549; *australis* var. *denticulata*, 546; *bryanii*, 552; *calycosa*, 546; *christophersenii*, 547; *connata*, 545; *connata* subsp. *acris*, 545; *connata* subsp. *connata*, 545; *connata* var. *acris*, 545; *connata* var. *decurrens*, 549; **connata var. litoralis, 549 (lectotypification)**; *costaricensis*, 559; *degeneri*, 545; *deltoidea*, 552; *dubia*, 555; *elliptica*, 549; *elliptica* var. *artialata*, 549; *exigua*, 554; *fasciculata*, 559; *fauriei*, 552; *flexuosa*, 554; *forbesii*, 547; *forbesii* var. *sherffii*, 549; *garberi*, 547; *goyazensis*, 559; *hastata*, 546, 559; *hastulata*, 546; *heterophylla*, 545, 546, 549; *heterophylla* var. *malvacea*, 547; *heterophylla* var. *molokaiensis*, 546; *integrifolia*, 552; *integrifolia* var. *argentea*, 552; *integrifolia* var. *gracilis*, 552; *integrifolia* var. *major*, 552; *integrifolia* var. *megacephala*, 552; *intermedia*, 554; *kaenaensis*, 547; *kamolensis*, 552; *kawaihoaensis*, 554; *kahoolawensis*, 547; *lahainae*, 553; *lanceolata*, 549; *laricifolia*, 540, 559; *latanifolia*, 559; *lavarum*, 553; *lavarum* var. *conferta*, 553; *lavarum* var. *hillebrandiana*, 553; **lavarum** var. **lanaiensis, 553 (lectotypification)**; *lavarum* var. *longifolia* 553; *lavarum* var. *manaleana*, 553; *lavarum* var. *ovata*, 553; *lavarum* var. *salicifolia*, 553; *lavarum* var. *scaposa*, 553; *lavarum* var. *skottsbergii*, 553; *lavarum* var. *stearnsii*, 553; *lifuana*, 541, 553; *lobata*, 540, 544, 546; *lobata* var. *albescens*, 546; *lobata* var. *aprevilliana*, 546; **lobata subsp. leptophylla, 546;** *lobata* subsp. *lobata* 546; *lobata* var. *denticulata*, 546; *lobata* var. *grossedentata*, 546; *lobata* var. *hastulatoides*, 547; *lobata* var. *hastulata*, 546; **lobata var. heterophylla, 546 (lectotypification)**; *lobata* var. *hosakae*, 547; *lobata* var. *incisior*, 545; **lobata var. leptophylla, 547 (lectotypification)**; *lobata* var. *makenensis*, 549; *lobata* var. *maunaloensis*, 547; *macrocephala*, 559; *mauiensis*, 549; *micrantha*, 553; *micrantha* var. *exigua*, 554; *minuscula*, 555; *molokiniensis*, 553; *monocephala*, 559; *nesophila*, 549; *niihauensis*, 547; *ovata*, 551; *peduncularis*, 546; *perdita*, 554; *pinnatifida*, 555; *populifolia*, 554; *porophila*, 552; *profusa* var. *robustior*, 545; *remyi*, 554; *robusta*, 549, 550; *rockii*, 547–549; *rockii* var. *dissecta*, 546, 547, 549; *rockii* var. *parva*, 549; *rockii* var. *subovata*, 549; *scabberrima*, 559; *scabra*, 549; *serrata*, 559; *setosa*, 555; *strigosa*, 559; *subcordata*, 543, 554; *subcordata* var. *membranacea*, 547; *subcordata* var. *populifolia*, 554; *succulenta*, 544, 549; *succulenta* var. *angustata*, 549; *succulenta* var. *barclayi*, 549; *succulenta* var. *decurrens*, 549; *tenuifolia*, 554; *tenuis*, 555; *tenuis* var. *sellingii*, 555; *texana*, 559; *trilobata*, 547; *umbellata*, 559; *umbellata* var. *conferta*, 560; *variolosa*, 549; *venosa*, 555; *vittata*, 547; *waimeaensis*, 555; *warschaueri*, 555
Lipotriche, 539, 540, 550, 551; *australis*, 540, 546; *brownei*, 540, 550; *gymnolomoides*, 540
Lobelia, 111, *puberula*, 110
Lobifolia, 244
Lodoicea maldivica, 520
Lomaria, 204
Lomariopsis, 177, 204, 325, 343; *descrescens*, 325; *fendleri*, 325; vestita, 325; *warneckei*, 325
Lonchitis hirsuta, 325; *occidentalis*, 325
Lophosoria, 183, 225, 252, 254; *quadripinnata*, 218
Lophosoriaceae, 218–219
Lophosoriorhachis, 254
Lorinseria aurora, 202
Loxogramme, 341; *abyssinica*, 325; *antrophyoides*, 326; *avenia*, 326; *buettneri*, 326; *conferta*, 326; *ensiformis*, 326; *lanceolata*, 326; *latifolia*, 326; *mexicana*, 325, 339; *remotefrondigera*, 326; *saziran*, 326
Loxomataceae, 237, 254, 262
Loxoscaphe, 314
Loxosoma, 289; *cunninghamii*, 297, 302
Lozanella enantiophylla, 68
Lycopodiaceae, 282
Lycopodiella 339; *caroliniana*, 276, 281, 326; *cernua*, 271, 276, 298, 302; *diffusa*, 298, 303; *lateralis*, 298, 302; *serpentina*, 298, 302
Lycopodium, 289; *acerosum*, 322; *clavatum*, 276, 280, 281; *dentatum*, 322; *deuterodensum*, 298, 302; *fastigiatum*, 298, 303, 326; *heteroclita*, 322; *magellanicum*, 274, 276, 280, 326, 340; *myrsinites*, 322; *ophioglossoides*, 322; *saururus*, 322; *scariosum*, 298, 303; *subulata*, 322; *verticillatum*, 322; *volubile*, 298, 303
Lygodium, 191–194, 198, 224, 225, 289, 339, 342; subgen. *Gisopteris*, 191–193; subgen. *Odontopteris*, 193, 225; *aberdaricum*, 326; *articulatum*, 297, 302; *binervatum*, 193; *coloradense*, 193; *dimorphophyllum*, 192, 193; *gaudinii*, 192; *japonicum*, 326; *kaulfusii*, 176, 177, 191, 193, 194; *kerstenii*, 326; *larsoni*, 193; *microphyllum*, 272, 278; *mississippiensis*, 192; *palmatum*, 191; *poolensis*, 193; *prestwichii*, 193; *pumilum*, 193; *reticulatum*, 193; *salicifolium*, 326; *scandens*, 193; *skottsbergii*, 192, 193; *smithianum*, 327; *trilobatum*, 193; *venustum*, 326; *volubile*, 327
Lygodiumsporites, 192
Macleania, 438; *megabracteolata*, 437, 444; *talamancensis*, 444
Macraea, 539–541, 559
Macropanax, 116, 119, 120; *rosthornii*, 119
Macrothelypteris torresiana, 272, 279, 301, 302

Madagascar, 304–351
Magnastriatites, 212, 226
Makotopteris, 207, 223
Malpighiaceae, 405
Malvaceae, 59
Marattia, 179, 289; *hookeri*, 179; *salicina*, 300, 302
Marattiaceae, 179, 180, 224, 225, 242, 339
Margaranthus, 505
Marsilea, 220, 327, 339; *berhautii*, 327; *deflexa*, 327; *minuta*, 350; *polycarpa*, 327
Marsileaceae, 222–223, 253, 257, 260
Mascagnia, 405; **arenicola** 405, **406**–408; **australis**, 405, 407, **408,** 409; **boliviana,** 405, 407, **409,** 410; *leonii*, 405; **riparia,** 405, 407, **410,** 411; *sepium*, 405, 409; **tomentosa,** 405, **411**–413; **tucuruensis**, 405, 407, 411, **413**–415; **velutina, 407, 414,** 415
Matonia, 180, 182, 224, 243, 245, 250
Matoniaceae, 180–183, 224, 225, 236, 239, 240–242, 245, 247, 248, 250, 255, 256, 257, 258, 259, 260–261
Matonidium, 182, 248, 250, 252
Matonisporites, 180, 182, 188, 224; *equiexinus*, 180, 182; *mulleri*, 180, 182; *ornamentalis*, 180; *rarus*, 180, 182
Maxillaria, 455; *acutifolia*, 455, 461, 463–465; *dressleriana*, 456, 457, 465; *hedwigiae*, 456–459, 461, 463, 465; *luteoalba*, 455; *moralesii*, 455, 459–461, 464; **pudica,** 456, **463**–465; *richii*, 459; *ringens*, 455; *rufescens*, 454, 455, 457, 463; **sotoana,** 456, **461,** 462, 465
Mazaea shaferi, 397
Mazus, 111; *pumilus*, 110
McPherson, Gordon D., 165
Mecodium polyanthos, 271, 277
Megalastrum, 327; *andicola*, 327; *canacae*, 327; *exaggeratum*, 327; *lanatum*, 327; *lanuginosum*, 327; *magnum*, 327–328; *villosum*, 327
Melanthera, 539–544, 550, 551; hybrids, 557; **abyssinica,** 551, **556 (lectotypification);** *acuminata*, 556; *albinervia*, 556; *albinervia* subsp. *acuminata*, 556; *albinervia* var. *albinervia*, 556; *albinervia* subsp. *caudata*, 556; *angustifolia* 550, 556; *aspera*, 557; *biflora*, 554, 548, 550–552, 557; **bryanii, 552;** *elegans*, 556; *elliptica*, 551, 556; **fauriei, 552**; *felicis*, 556; *gambica*, 556; **integrifolia, 552; kamolensis, 552,** 553; **latifolia,** 550, 556, **557 (lectotypification),** 558; **lavarum,** 548, **553; lifuana, 553;** *ligulata*, 557; **micrantha,** 550, **553,** 554; **micrantha subsp. exigua, 554;** *micrantha* subsp. *micrantha*, 554; *nivea*, 548, 550, 557; *parvifolia*, 557; **perdita, 554; populifolia,** 541, **554; prostrata, 557;** *pungens*, 557; **remyi, 554;** *rhombifolia*, 557; *richardsoniae (richardsae)*, 557; *robinsonii*, 557; *scaberrima*, 557, 559; *scandens*, 540, 550, 559; *scandens* subsp. *dregei*, 550, 559; *scandens* subsp. *madagascariensis*, 559; *scandens* subsp. *scandens*, 559; *scandens* subsp. *subsimplicifolia, 559*; **subcordata, 554; tenuifolia, 554,** 555; **tenuis, 555**; *tithonioides*, 557; *triternata*, 559; **venosa, 555; waimeaensis, 555,** 556
Melastomataceae, 157
Melpomene flabelliformis, 273, 277, 306, 328, 340
Meniscium, 179
Menyanthaceae, 110, 113
Menyanthes, 110; *trifoliata*, 110
Merilliopanax, 120
Mertensia, 66; *brasiliensis*, 69; *citrifolia*, 66, 77; *commutata*, 73; *iguanaea*, 73; *laevigata*, 68, 73; *pubescens*, 73, 78; *rhamnoides*, 73; *texana*, 78; *utilis*, 78; *zizyphoides*, 73
Mertensides, 245
Mesoamerica, 437
Mesozoic, 236–269
Metabolos, 498, 500–502
Metapanax, 116, **117,** 119–121; **davidii,** 116, **117,** 118, 120; **delavayi,** 116, **118,** 119
Metastevia, 382
Metaxyaceae, 254
Mexico, 59, 61, 63, 377–395, 411, 417, 418, 420, 423, 454, 461, 487, 488, 505, 507, 528
Microchaeta integrifolia, 552; *lavarum*, 553; *lobata* var. *hastata*, 546
Microgramma lycopodioides, 328; *mauritiana*, 328; *nitida*, 328; *owariensis*, 328
Microlepia speluncae, 271, 277
Microphyllopteris, 245, 251
Microsorum, 206; *novae-zealandiae*, 297, 302, 303; *punctatum*, 272, 278; *pustulatum*, 301, 303; *scandens*, 301, 302; *scolopendria*, 272, 278
Microstaphyla, 349–350, 355
Microtrichomanes digitatum, 272, 277
Millerocaulis, 191, 246, 247
Mitchella, 111, 499; *repens*, 110
Mitracarpus, 482; *hirtus*, 482, 483, 485; **longicalyx, 482, 483**–485; *megaptoamicus*, 485
Mizoneura, 178
Mohria, 194, 197
Mohriopsis, 250, 253
Molaspora, 223
Momisia, 66, 68; subgen. *Momisiopsis*, 66; *aculeata, 73; alnifolia*, 73; *anfractuosa*, 73; *brevifolia*, 73; *chichape*, 70; *clausseniana*, 69; *crenata*, 69; *dichotoma*, 73; *ehrenbergiana*, 71; *ferruginea*, 69; *flexuosa*, 69; *iguanaea*, 73; *integrifolia*, 71; *laevigata*, 73; *lamarckiana*, 66; *lancifolia*, 71; *membranacea*, 73; *platycaulis*, 74; *pubescens*, 73; *spinfera*, 78; *spinosissima*, 73; *tarijensis*, 73; *triflora*, 73; *zizyphoides*, 73
Monarda fistulosa, 511–518; *fistulosa* var. *brevis*, 511–517; *fistulosa* var. *fistulosa*, 511–517
Moraceae, 68
Moratia, 471
Morinda, 501
Mormolyca, 455; *ringens*, 455
Mussaenda, 501
Myrceugenia, 514; *fernandeziana*, 514
Myrtaceae, 534, 538
Naktongia, 250
Nardophyllum, 432, 433
Nathorstia, 182
Neanotis, 500
Neblinathamnus, 496
Nemophilia, 111; *maculata*, 110
Neotropics, 304–351
Neoveitchia, 471
Nepal, 447
Nephrolepidaceae, 282
Nephrolepis 289; *acutifolia*, 272, 278; *biserrata*, 271,

278; *cordifolia*, 274, 278, 282; *delicatula*, 350; *hirsutula*, 300, 302; *occidentalis*, 350; *undulata*, 350
Nephrosperma, 466–468, 470; *vanhoutteanum*, 468, 469
New Zealand, 284–303
Nolana, 111; *humifusa*, 110
Nothofagus, 178
Notholaena, 350
Nothopanax, 116; *davidii*, 117, 120; *delavayi*, 118; *diversifolia*, 117
Nymphoides, 111; *aquatica*, 110
Nypa fruticans, 520
Odontosoria, 258, 328, 339; *aculeata*, 328; *africana*, 328; *flexuosa*, 328; *fumarioides*, 328; *melleri*, 328
Oldenlandia, 501
Oleandraceae, 282
Oligocarpia, 243
Oncosperma, 466, 467, 470; *horridum*, 469, 470
Onoclea, 174, 175, 176, 188, 203, 206, 224, 225; *sensibilis*, 206
Onychiopsis, 249, 253, 254, 255, 257
Ophioglossaceae, 216, 282
Ophioglossum 289; *coriaceum*, 300, 303; *costatum*, 272, 278; *lusitanicum*, 274, 281; *pendulum*, 272, 278; *petiolatum*, 300, 302; *polyphyllum*, 272, 278; *reticulatum*, 271, 278
Opuntia, 97; uses, 531; *chaffeyi*, 532, 533; *dillenii*, 96; *macrorrhiza*, 528, 532; *macrorrhiza* var. *potosina*, 528, 529; *megarrhiza*, 528–533; *pachyrrhiza*, 531; *spinossisima*, 97
Osmunda, 175, 176, 188–191, 224, 225; subgen. *Osmunda*, 189, 190; subgen. *Osmundastrum*, 190, 224; subgen. *Plenasium*, 189–191, 201, 224, 225; *affinis*, 177; *arnoldii*, 190; *banksifolia*, 189; *bromelifolia*, 189, 190; *cinnamomea*, 190, 225, 256; *claytonensis*, 190; *claytoniana*, 188, 190, 245; *dowkeri*, 189; *eocenia*, 188; *greenlandica*, 188, 190; *japonica*, 190; *javonica*, 189; *lignitum*, 189, 201; *macrophylla*, 188; *nathorstii*, 188, 190; *parschligiana*, 204; *precinnamomea*, 190; *regalis*, 188, 190, 273, 278, 280, 281; *sachalensis*, 188; *wehrii*, 190, 223
Osmundacaulis, 191; *herbstii*, 191
Osmundaceae, 188–191, 223, 236, 239, 240–245, 246, 247, 248, 249, 250, 255, 256, 259, 282
Osmundastrum, 188, 189
Osmundites, 189
Osmundopsis, 250
Otacanthus, 137–153; **azureus,** 138–**144, 145 (lectotypification)**; *caparaoensis*, 138, 140–144; *coeruleus*, 137, 144, 145; *crenatus*, 138, 140–142, 144, 148–150: **fernandesii,** 139–142, 144, **148,** 149, 150; *flumensis*, 138, 140–144, 150; *pearcei*, 153; *platychilus*, 138, 141, 142, 145, 146; **platychilus forma brachyphyllus,** 146, **147**; *platychilus* forma *integrifolia*, 138, 146; *platychilus* forma *longifolius*, 146; **platychilus var. longifolius,** 140, 141, 144–**146,** 147; *taubertii*, 138; *villosus*, 138, 140–144, 150–152
Otomeria, 501
Oyedaea scabberima, 559
Paederia, 501, 502
Paesia, 289; *saberula*, 297, 303
Pagamea, 490; *garryoides*, 490, 491
Pagameopsis, 490–504; *garryoides*, 491, 492, 494–497, 499, 500; *maguirei*, 491, 493, 496; *maguirei* subsp. *neblinensis* var. *angustifolia*, 492
Palaeosmunda, 243
Paleaepappus, 432, 433
Palibiniopteris, 255
Palicourea guianensis, 401
palms, 466, 519
Palmae, see Arecaceae
Panama, 163, 437, 440
Panax, 116, 447–453; *bipinnatifidus*, 452; *bipinnatifidus* var. *angustifolius*, 448, 452; *bipinnatifidus* var. *bipinnatifidus*, 448, 452; *davidii*, 116, 117; *delavayi*, 116, 118; *ginseng*, *448*, *451*; *japonicus*, 448; *major*, 448; *pseudoginseng*, 447, 451, 452; *pseudoginseng* subsp. *himalaicus*, 447, 452; *pseudoginseng* subsp. *himalaicus* var. *angustifolius*, 447, 448, 451, 452; *pseudoginseng* subsp. *himalaicus* var. *bipinnatifidus*, 448, 451, 452; *pseudoginseng* subsp. *himalaicus* var. *himalaicus*, 447, 448, 451, 452; *pseudoginseng* subsp. *japonicus*, 448, 451; *pseudoginseng* subsp. *pseudoginseng*, 447, 448, 451; *sinensis*, 448; *stipuleanatus*, 452
Pandanus, 206
Parastrephia, 432, 433
Parazolla, 220
parasitic plants, 112
Payera, 500
Pecopteris, 178
Pekinopteris, 245
Pellaea, 289, 328; sect. *Holochlaena*, 329; *andromedifolia*, 329; *boivinii*, 329; *calidirupium*, 301, 303; *cordifolia*, 329; *falcata*, 301, 302; *flavescens*, 329; *intermedia*, 329; *myrtillifolia*, 329; *ovata*, 329; *pringlei*, 329; *rotundifolia*, 297, 303, 329; *rufa*, 329; *tremula*, 301, 302; *viridis*, 329
Pelletixia, 194, 253
Peltapteris, 350, 355
Pentas, 500, 501
Pentodon, 501
Perdicium, **mexicanum, 426 (lectotypification),** 427, 428; *serrulatum*, 426, 427
Perezia, 427; *adnata*, 426; *alamanii*, 426–428; *alamanii* var. *adnata*, 426; *humboldtii*, 426; *reticulata*, 426; *thurberi*, 426, 428
Peru, 430
Perymenium, 540, 543; *gymnolomoides*, *540*; *jelskii*, 558
Phacelia, 111; *hirsuta*, 110
Phanerosorus, 180, 182
Phlebopteris, 182, 245, 247, 248, 250, 257, 258; *affinis*, 182; *munsteri*, 182
Phylloglossum drummondii, 289, 302
Phyllopterides, 251
Phyllopteris, 251
Phyllostylon brasiliensis, 67
Physalis, 111, 505; *amphitricha*, 505; *angulata*, 110; *calidaria*, 505; *gracilis*, 507; *hunzikeriana*, 502; *lignescens*, 507, 509; **longiloba, 505, 506,** 509; *quere-taroensis*, 505; *solanaceus*, 505; **tamayoi, 507**–509; *waterfallii*, 502
Phlox, 111; *divaricata*, 110
Phoenicophorium, 466, 467, 470; *borsigianum*, 468
Phymatosorus, 289
Physalis, 111; *angulata*, 110

Physokentia, 471
Piazopteris, 247, 248, 250, 252, 258
Pilularia, 223, 289; *novae-zealandiae*, 297
Pityrogramma, 329–330; *argentea*, 330; *sulphurea*, 330
Plantaginales, 110
Plantago, 111; *virginica*, 110
Platycarya, 198
Platycerium 330, 342; *andinum*, 330; *quadridichotomum*, 330
Plenasium dowkeri, 189; *lignitum*, 189
Pleopeltis macrocarpa, 273, 278, 330, 340
Pleurosorus, 289; *rutifolius*, 299, 303
Pneumatopteris, 209; *pennigera*, 209, 301, 303
Pogonolobus, 501
Pogonopus speciosus, 397
Polemoniaceae, 110, 113
Polemonium, 111; *reptans*, 110
Polyphacelas stormensis, 248
Polypodiaceae, 219–220, 263, 282, 352–369
Polypodiidites usmensis, 206
Polypodiopteris, 219
Polypodites, 255
Polypodium, 178, 206; *anguinum*, 328; *boivinii*, 330; *ecklonii*, 330; *forsythianum*, 338; *microglossum*, 330; *polypodioides*, 330; *subpinnatum*, 338
Polyscias, 116, 117, 120
Polystichopsis, 350; *bella*, 350
Polystichum, 177, 289; *cystostegia*, 297, 303; *richardii*, 297, 303; *silvaticum*, 297, 303; *subpinnatum*, 330; *vestitum*, 294, 297, 303
Polytaenium brasilianum, 330; *cajenense*, 330
Primula, 154; sect. *Parryi*, 154; *angustifolia*, 154; *angustifoila* var. *cusackiana*, 155; *brodheadae*, 155; *brodheadae* var. *minor*, 155; *capillaris*, 154; *cusickiana*, 154–156; **cusickiana subsp. domensis, 155**; *cusickiana* subsp. *maguirei*, 155; *cusickiana*, subsp. *nevadensis*, 155; *cusickiana* var. *cusickiana* 155; *cusickiana* var. *domensis*, 155; **cusickiana var. maguirei,** 155, **156**; *cusickiana* var. *nevadensis*, 155; *domensis*, 154, 155; *maguirei*, 154, 155; *nevadensis*, 154, 155; *parryi*, 154; *parryi* var. *wilcoxiana*, 155; *rusbyi*, 154
Pronephrium stiriacum, 209, 210, 211
Protopteris laubei, 184
Protorhipis, 246
Proustia, 426, 427; *mexicana*, 426–428; *reticulata*, 426–428
Psathurochaeta, 541, 550; *dregei*, 550, 559
Pseudomussaenda, 501
Pseudopanax, 116, 117, 120; *davidii*, 116, 117; *delavayi*, 118
Psilotaceae, 282
Psilotum 289; *complanatum*, 274, 276, 282; *nudum*, 271, 276, 298, 302
Psychotria, 396, 397, 491, 497; subgen. *Heteropsychotria*, 396; *blepharophylla*, 397, 398; **callithrix,** 397, **398, 399 (lectotypification)**, 403; *callithrix* var. *callithrix*, 399; *callithrix*, var. *tontaneoides*, 399; *carapichea*, 401–403; *galbaoensis*, 401, 402; *glabra*, 397; *guianensis*, 401; *involucrata*, 401; **ligularis,** 397, **399 (lectotyptification)**, 400, 401, 403; *ligularis* var. *carapuchea*, 399, 401; *ligularis* var. *ligularis*, 399; **medulosa, 397 (lectotypification)**, 398, 403; *necopinata*, 399; *oiapoquensis*, 399; *pacimonica*, 399, 400; *trichocephala*, *398*
Pteridaceae, 212–213, 244, 255, 282
Pteridium, 179, 289; *bilinicum*, 216; *esculentum*, 299, 303
Pteris, 178, 212, 220, 289, 331; *comans* 301, 302; *eocenica*, 207, 212; *greenlandica*, 188; *inequilateralis* 199; *longipes*, 330; *macilenta*, 297, 302; *muricella*, 331, 339; *parschlugiana*, 204, 208; *pennaeformis*, 208, 212; *prestwichii*, 212; *pteridioides*, 331; *ramosii*, 331; *saxatilis*, 297, 302; *tripartita*, 272, 278
Pteridophytes, 171–369, 435, 436
Pyrrosia eleagnifolia, 297, 303; *lanceolata*, 272, 278, 289
Rafflesiaceae, 112
Ranunculus, 293
Raphaelia, 248, 251
Regnellidium, 223, 225
Rhamnus iguanaeus, 66, 72, 73
Rhizomopteris, 255
Riella, 365
Rodeites, 220, 223
Ronabea, 491
Rondeletia, 501; *odorata*, 501
Roscheria, 466, 467, 470; *melanochaetes*, 468, 469
Rubiaceae, 110, 396, 482, 490; Agrostemmateae, 501, 502; Anthirheoideae, 502; Catesbaeeae, 502; Chiococceae, 502; Cinchonideae, 501, 502; Coccocpyselae, 491, 498, 499, 502; Condamineeae, 502; Gaertnerae, 491, 498, 499, 502; Hamelieae, 501, 502; Hedyotideae, 498, 500–502; Hillieae, 501; Isertieae, 501; Ixoroideae, 501; Morindeae, 499, 502; Mussaendeae, 501; Pauridiantheae, 501; Portlandiinae, 502; Prismatomerideae, 499; Psychotrieae, 491, 492, 497–500, 502; Rondeletieae, 491, 502; Rubioideae, 490, 491, 496, 499, 501, 502; Spermacoceae, 482, 500; Urophylleae, 501
Rubiales, 110
Ruffordia 225, 250, 253, 255, 257; *goeppertii*, 195; *subcretacea*, 176, 178, 194–195, 196, 197
Rumohra adiantiformis, 271, 277, 280, 289, 299, 303, 351; *bartonae*, 209; *recentior*, 178, 208–209
Saccoloma 306, 331; *elegans*, 216; *gardneri*, 207, 215; *henriettae*, 331; *inaequale*, 331, 342; *moluccanum*, 331
Sacosperma, 501
Saffordia, 335
Saldinia, 491
Salpichlaena 204–205; *anceps*, 177, 204, 205; *serrata*, 204
Salvinia, 198, 220, 222, 226; *coahuilensis*, 257
Salviniaceae, 257, 260
Salviniites, 220
Santalales, 112
Santolilnia amellus, 550
Sapindaceae, 477
Sacromphalus, 66; *punctatus*, 71
Satyria, 439; *allenii*, 442; *meiantha*, 442; *panurensis*, 442; **ventricosa, 440**–442; *warszewiczii*, 442
Saxifraga, 109; *mertensiana*, 109
Scapania, 366
Schippia concolor, 519–527
Schizaea, 197, 289, 339; *australis*, 278, 301, 303; *bi-*

fida, 301, 302; *dichotoma*, 272, 278, 301, 302; *fistulosa*, 274, 281, 301, 302; *flabellatus*, 302
Schizaeceae, 191–197, 225, 236, 240–242, 244, 247, 248, 249, 250, 251, 252–253, 255, 257, 260, 262, 282, 339
Schizaeopsis, 253
Schizaeopteris, 257
Schizophyllum, 550, 553; *micranthum*, 550, 553
Schradera ligularis, 399
Scoliosorus boryanus, 331; *ensiformis*, 331, 339, 340; *mannianus*, 331
Scolocyamus magnus, 206
Scrophulariaceae, 110, 137; tribe Gratioleae subtribe Steminodiinae, 138
Scrophulariales, 110
Selaginella ser. *Articulatae*, 332, 333; *arenicola*, 331, 339; *balansae*, 331; *bryopteris*, 332; *canescens*, 332; *convoluta*, 332; *digitata*, 332; *dregei*, 331; *exaltata*, 332; *galeottii*, 333; *grallipes*, 332; *gypsophila*, 332; *helioclada*, 332; *imbricata*, 332; *japonica*, 332; *kelungensis*, 332; *kraussiana*, 332; *lepidophylla*, 332; *limbata*, 332; *myosurus*, 333; *pallescens*, 332; *pilifera*, 332; *pringlei*, 332; *pygmaea*, 272, 276; *remotifolia*, 332, 333; *sartorii*, 333, 340; *versatilis*, 333; *wightii*, 333
Selaginellaceae, 282, 339
Selenocarpus, 182
Selenodesmium rigidum, 273, 277
Sellingia, 250
Serjania, 477; sect. *Eurycoccus*, 477, 479; sect. *Serjania*, 477, 481; *corrugata*, 479; *deflexa*, 479; **divaricocca,** 477, 480, **481;** *elegans*, 479; **erythrocaulis,** 477–**479**; *lancistipula*, 479; *lethalis*, 481; *magnistipulata*, 479; *paleata*, 479; *paradoxa*, 477, 479
Shuichengella, 243
Sipaneopsis, 496
Solanaceae, 110, 113, 505
Solanales, 109, 110, 113
Solanum lycopersicum, 109
Soto Arenas, Miguel Angel, 463
Sparrea, 67
Sphaenopteris, 178
Sphaerocionium ferrugineum 274, 277; *hirsutum*, 273, 277
Sphaerostephanos unitus, 272, 279
Sphagneticola, 540
Sphenomeris decomposita, 324; *flabellifolia*, 324
Sphenopteris, 249, 254
Stachypteris, 193, 247, 249, 250
Staelia, 482
Stemmodontia biflora, 551
Stemodia azurea, 138, **144–145 (lectotypfication)**
Stenochlaena, 205–206; *areolaris*, 206; *cumingii*, 205; *laurifolia*, 205; *milnei*, 205; *palustris*, 206; *tenuifolia*, 205
Stenochlaenidites papuanus, 205, 226
Sterculiaceae, 59
Stevia, 377, 378; ploidy, 377, 390, 394; *ascherborniana*, 380, 391, 394; *ascherborniana* var. *occidentalis*, 394; *baccharifolia*, 389; *caracasana*, 380, 385; **chilapensis,** 377, **378,** 391–393; **coahuilensis,** 377, **379,** 391–394; **constricta, 390; crassifolia,** 377, **379, 380,** 384, 385, 391–393; **ecatepecana,** 377, **380,** 381, 391–393; *ephemera*, 381; **filodecaballoana,** 377, **381,** 382, 391, 392; *hintonii*, 382; *hintoniorum*, 388; *isomeca*, 388; *latifolia*, 379, 382; **mascotensis,** 377, **383,** 391–393; **mexicana,** 377, **383,** 384, 391–393; *micradenia*, 383; *monardifolia*, 381; *nepetifolia*, 387; **oaxacana** 377, **384**–386, 391–394, **occidentalis, 394; oligophylla,** 377, **385, 386,** 391–394; *origanoides*, 386; *ovata*, 386; *palmeri*, 390; palmeri, var. *constricta*, 390; **potosina,** 377, **386, 387,** 388, 391–393; **rotundifolia,** 377, **388,** 391–394; *rzedowskii*, 388; *scabrella*, 389, 391; *scabrella* var. *venosa*, 389; **scabrelloides,** 377, **388, 389,** 391–394; *stolonifera*, 388; *triangularis*, 378; *trifida*, 384; **viejoana,** 377, **389,** 390–393; *zacatecana*, 388
Sticherus, 185, 289; *cunninghamii*, 297, 303; *flabellatus*, 300; *tener*, 185, 300, 303
Straelenipteris, 216
Stromatopteris, 184
Strumpfia, 501
Szea, 243
Taeniopteris, 178
Tamayo, *see* R. González Tamayo
Tapogomea, carapichea, 401; **glabra, 397 (lectotypification)**
Taurella, 248
Tectaria, 255
Tectiphiala, 466, 467, 470, 471; *ferox*, 469
Tempskya, 256
Tempskyaceae, 216, 256, 263
Terpsichore cultrata, 333; *elastica*, 333; *mollissima*, 333; *senilis*, 333, 340
Tetraplacus, 138, 143; *pearcei*, 153; *platychilus*, 138, 143; **platychilus forma brachyphyllus,** 138, 145, **146–147 (lectotypification)**; *platychilus* forma *longifolius*, 138, 146; *taubertii*, 138, 145
Thelypteridaceae, 176, 177, 209–212, 225, 282
Thelypteris, 177, 178, 289; subgen. *Amauropelta* 334; subgen. *Pelazoneuron*, 334; *balbisii*, 334; *bergiana*, 334; *chaseana*, 334; *confluens*, 272, 279, 281, 301, 302; *conspersa*, 334; *hispidula*, 334; *iddingsii*, 177, 210, 211; *kunthii*, 334; *oligocarpa*, 334; *oppositiformis*, 334; *weedii*, 177, 210, 211
Thelypterites, 258
Thyrsopteris antique, 257
Thyrsopterorachis, 257
Tilesia, 551
Tiliaceae, 59
Tmesipteris, 289; *elongata*, 298, 302; *lanceolata*, 298, 302; *obliqua*, 294; *sigmatifolia*, 298, 302; *tannensis*, 294, 297, 302; *truncata*, 294
Todea, 189, 191, 289; *barbara*, 272, 278, 281, 282, 301, 302
Todites, 243, 244, 245, 246, 248, 249, 251
Topobea, 157; **intricata, 157**–160; **lentii, 160**–163; **mcphersonii, 163**–165
Trachypteris drakeana, 334; *induta*, 334; *pinnata*, 334
Tragopogon dubius, 109, 110
Trichomanes, 217, 289; sect. *Crepidomanes*, 336; sect. *Didymoglossum*, 335–336, 337; sect. *Lacosteopsis*, 335, 336, 337; subgen. *Achomanes*, 335; subgen. *Pachychaetum*, 336; *barklianum*, 336; *borbonicum*, 335; *colensoi*, 297, 303; *crenatum*, 335; *crispiforme*, 335; *crispum*, 335; *cupressoides*, 336; *diaphanum*,

335; *elongatum*, 297, 302; *endlicherianum*, 300, 302; *exiguum*, 336; *giesenhagenii*, 336; *giganteum*, 337; *hymenopylloides*, 335; *liberiense*, 335; *melanotrichum*, 336; *montanum*, 337; *naseanum*, 337; *pachyphlebium*, 336; *pilosum*, 335; *pinnatinervium*, 335; *pyxidiferum*, 335, 336; *radicans*, 337; *reniforme*, 297; *reptans*, 336, 337; *rigidum*, 336; *robinsonii*, 337; *sacci*, 217; *strictum*, 297, 302; *venosum*, 300, 303; *wallii*, 336
Trichostachys, 491
Trigonopterum, 539, 540, 559; **laricifolium, 559**; *pontenii*, 559
Triplanosporites, 193
Triplophyllum, 337
Triumfetta, 59; **calzadae, 63**–65; *discolor*, 65
Ulmaceae, 66; subfam. Celtideae, 66
United States, 435, 436, 511–518
Uragoga glabra, 397, *guianensis*, 401
Urticaceae, 68
Vaccinium, 442, 445; *costaricense* 442; *floccosum*, 444; *jefense*, 442; **monteverdense, 442**–444; *orosiense*, 442; *poasanum*, 444; *santafeense*, 442; **talamancense, 444**–446
Vandenboschia melanotricha, 336
Verbesina biflora, 551; *connata*, 545; *hastata*, 559; *hastulata*, 546; *lavarum*, 553; *lobata*, 546; *prostrata*, 557
Verschaffeltia, 466, 467, 469 470, 471; *splendida*, 469
Viola, 123; disperal, 132, 133; sect. *Plagiostigma*, 123; sect. *Plagiostigma* subsect. *Blandae*, 123; sect. *Plagiostigma* subsect. *Stolonosae*, 123, 139; **domingensis,** 122–130, **131 (lectotypification),** 132; *lanceolata*, 123; *macloskeyi*, 122–126, 129, 131, 132, 134, 135; *mackloseyi* subsp. *mackloskeyi*, 124–130, 132, 134; **mackloskeyi subsp. pallens,** 123–130, **131 (lectotypification),** 132–134; *mackloskeyi* var. *pallens*, 131; *miniscula*, 131; *pallens*, 123, 131; *pallens* forma *alba*, 131; *renifolia*, 123; *rotundifolia pallescens*, 131
Violaceae, 122
Vittaria dimorpha, 337; *elongata*, 272, 279; *ensiformis*, 272, 279; *graminifolia*, 337; *isoetifolia*, 337; *lineata*, 337
Vittariaceae, 282, 341, 352–369
Viviania, 559
Wagner, Warren H., Jr., 171
Wamalchitamia, 540; *strigosa*, 559
Wedelia, 539–541, 543, 544; *acapulcensis var. hispida*, 559; *asperrima*, 542; *biflora*, 542, 551; *calycina*, 558; *lifuana*, 553; *prostrata*, 557; *prostrata* var. *robusta*, 557; *rudis*, 559; *triternata*, 559; *uniflora*, 541; *verbesinoides*, 542
Weichselia, 247, 248, 252, 257, 258
West Indies, 463
Wingatea, 245
Wollastonia, 539–543, 550, 551; *biflora*, 541; *lifuana*, 553; *prostrata*, 557; *scabriuscula*, 542, 550, 551
Woodsia montevidensis, 273, 277, 338
Woodwardia, 174, 176, 177, 202–203, 224, 225; *arctica*, 202; *aurora*, 202; *gravida*, 202, 203; *deflexipinna*, 203; *harlandii*, 202, 203; *japonica*, 202; *latiloba*, 202; *martinezii*, 202; *maxoni*, 202; *muensteriana*, 203; *preareolata*, 177, 202; *radicans*, 202, 203; *virginica*, 203, 223
Wuerschmittia, 541, 550; **abyssinica,** 550, **556 (lectotypification)**
Wulffia, 540, 541, 551
Xanthophytum, 502
Xiphopteris albobrunnea, 315; *villosissima*, 338
Xylocopa (bees, pollinators), 143
Zexmenia, 540; *serrata*, 559
Zizyphus, 67; *allemaovii*, 78; *commutata*, 73
Zygophlebia mathewsii, 338; *sectifrons*, 338; *villosissima*, 338